




DIEBOLD NIXDORF CS 4060 LOBBY CASH RECYCLER SYSTEM



Reliable Cash Recycling Technology

Cash management accounts for an average of 48% of ATM network operating costs globally—a cost that could be reduced through adoption of automated cash-recycling technology.



PHILOSOPHY

Our advanced cash-recycling technology is designed to provide flexibility for FIs that need solutions tailored to specific market needs and customer environments. These advanced systems significantly reduce cash-management costs and challenges, keep ATM networks supplied with the optimal level of cash, and automatically count, fitness check and detect counterfeiting while recirculating deposited notes to save FIs both time and money. With the CS 4060's added coin-dispensing functionality and passbook printing, supplementing cash-recycling technology, the CS 4060 is designed not only for efficiency but to enhance the consumer experience as well.

IMPRESSIVE INNOVATION

The CS 4060 is an outstanding performer, offering reliable banknote recognition and handling, as well as up to seven recycling denominations, passbook printing, statement printing and coin dispensing options. Tried and proven worldwide, the banknote recognition technology with improved sensors and innovative cassette technology are the basis for a unique and flexible system concept that can be tailored to meet customers' individual needs. High note capacity and high uptime make the CS 4060 an ideal system for high-volume indoor applications, and optimal component accessibility and an intuitive interface mean the CS 4060 is also one of the world's most user-friendly indoor cash-recycling systems.



FEATURES

Media Technology

RM3 RECYCLING MODULE

- Cassettes
 - 3+1 (3 recycling cassettes + 1 acceptance cassettes)
 - 4+1 (4 recycling cassettes + 1 acceptance cassettes)
 - 7+1 (7 recycling cassettes + 1 acceptance cassettes)
- Recycles up to 7 denominations
- Scalable cassette concept (Large 300 mm, small 200 mm)
- Deposit/withdrawal of up to 300 notes in bundles
- Foreign object detection
- Transport speed: max 10 banknotes per second for deposits/dispenses

CASH CASSETTES

- Up to 8 cassettes
- CCMS ready with E2E cassettes
- Multipurpose cassette with up to 3 compartments
- Separate cassette for counterfeit notes
- Fill-level indicator
- Scalable cassette concept

BANKNOTE RECOGNITION

- Banknote validation as per ECB framework
- Processes up to 120 denominations simultaneously

Enhanced Security

PHYSICAL

- Consumer awareness mirrors
- Intelligent operator authentication via CrypTA Stick
- Anti-card-trapping functionality
- Anti-Manipulation card slot

CYBER

- Encrypting PIN Pad
- Optical Security Guard (OSG)
- Secure Channel

SYSTEM OPTIONS

Security

- Portrait, cash slot and card reader cameras
- Intruder alarm system
- ASKIM
- Multiple sensor secured cassette
- Ink staining
- PIN Pad Shield
- Security safe
 - Various CEN safes

Displays

- 15" XGA or 17" SXGA color consumer display
- Vandal-Resistive Screen with function keys or touchscreen
- High bright/semi bright
- Privacy filter
- 10.4" rear service operator panel

PROCESSOR

- Celeron, i3, i5

ACCESSIBILITY

- Headphone jack

DIMENSIONS

CS 4060

Height: 1556 mm (61.26 inches)

Width: 600 mm (23.62 inches)

Depth: 1022 mm (40.24 inches)

CONSUMER EXPERIENCE

- Branding Panel
- Alphanumeric keyboard

POWER ARCHITECTURE

- Uninterruptable Power Supply (UPS)

ID DEVICES

- Fingerprint reader
- EMV-ready card reader, Motorized or DIP
- Contactless card reader
- Barcode scanner 1D/2D


PRINTERS

- 80 mm enhanced graphical receipt printer with dual paper roll
- Passbook / journal / statement printer

DISPENSER/DEPOSITORY

- Coin dispenser (8-fold count)
- Coin deposit (sidecar)





CONTACT

FOR QUESTIONS, PLEASE CONTACT

Alhamrani Universal Company
P.O. Box 1229
Jeddah 21431
Kingdom of Saudi Arabia

Tel: +966 12 606 5555
Fax: +966 12 606 2036

au-sales@universal.com.sa
au-info@universal.com.sa